WYFFELS | PRODUCT DESCRIPTION

800-369-7833 · wyffels.com

PLACEMENT / MANAGEMENT

SOIL ADAPTABILITY

drought prone.

RATING

Е

Е

VG

G

NR = not recommended.

Best performance when kept on well-drained soils in Zones 1 and 2. Manage for first half of harvest. Excellent option where Goss' wilt is a concern.

SOIL CATEGORY

LIGHT SOILS - LOW CEC (<10); OM <1.5%;

low water-holding capacity; non-irrigated

sand; timber soils; marginal productivity;

MEDIUM SOILS – CEC 11–18; OM 1.5-3.5%;

HEAVY SOILS – HIGH CEC (>18); OM >3.5%; well-drained: dark colored soils.

POORLY-DRAINED – Soils that have the potential to remain saturated for prolonged

5

periods; side hill seeps; gumbo; muck.

E = excellent, VG = very good, G = good, F = fair,

GEOGRAPHIC ZONE ADAPTABILITY

well-drained; silt loam; high productivity.

RECOMMENDED PLANTING RATE					
PRODUCTIVITY LEVEL					
HIGH	MODERATE	LOW			
35-37,000	34-36,000	33-35,000			

PLANT PHYSIOLOGY AND HEALTH GDU'S TO POLLINATION 1310, L DAYS TO POLLINATION 73 GDU'S TO BLACK LAYER 2515, A 9 EARLY VIGOR PLANT HEIGHT MT STALK STRENGTH 6 ROOT STRENGTH 7 GREEN SNAP RESISTANCE 8 8 DROUGHT TOLERANCE STAYGREEN 6

EAR/GRAIN CHARACTERISTICS			
EAR FLEX	SF		
EAR LENGTH	7		
EAR HEIGHT	МН		
KERNEL ROWS	18-20		
TEST WEIGHT	6		
DRYDOWN	8		

PEST/DISEASE RATINGS				
GOSS' WILT TOLERANCE	8			
GRAY LEAF SPOT TOLERANCE	6			
NLB TOLERANCE	5			
SLB TOLERANCE	-			
ANTHRACNOSE TOLERANCE	6			

RIMSULFURON TOLERANCE

AR/GRAIN CHARACTERISTICS					
EAR FLEX	SF				
EAR LENGTH	7				
EAR HEIGHT	MH				
KERNEL ROWS	18-20				
TEST WEIGHT	6				
DRYDOWN	8				

PEST/DISEASE RATINGS	
GOSS' WILT TOLERANCE	8
GRAY LEAF SPOT TOLERANCE	6
NLB TOLERANCE	5
SLB TOLERANCE	-
ANTHRACNOSE TOLERANCE	6

	ANTHRACNOSE TOLERANCE
odium	
	HERBICIDE CONSIDERATION

CONVENTIONAL

97 RM W1850

- Large, robust plant with great yield potential for the non-GMO market
- First class Goss' wilt tolerance
- Highly resistant to green snap
- Fast drydown allows management for an early harvest

	1	1	1	1		_	- I	1
ROOTS	;							
		- 1						
STALK	S							
DRYDO	DWN							
-		-						
DROU	GHI	IOL	ERAI	ICE				
CTAVE	DEE							
STAYG	KEEI	N						
	-	2	4	_	-	7	0	0

CONTINUOUS CORN MANAGEMENT

- Best suited for crop rotation
- If using following corn, give extra attention to fertility, disease, residue, and CRW management

LEGEND: E = early for maturity, A = average for maturity, L = late for maturity; M = medium, MS = medium short, MT = mediumtall, T = tall; H = high, MH = medium high, ML = medium low; F = flex, SF = semi-flex, D = determinate, SD = semi-determinate. Numerical ratings are based on comparisons among Wyffels hybrids of like maturity where 1 = Low, 5 = Avq, and 9 = High expressions of a trait.

ZONE ADAPTABILITY

2

3

4 5

* N = Normal tolerance to rimsulfuron-containing herbicides when label directions are followed.



Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. Roundup Ready® crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup[®] brand agricultural herbicides will kill crops that are not tolerant to glyphosate. B.t. products may not yet be registered in all states. Check with your Seed Representative for the registration status in your state. Drought-Gard[®], Genuity Design[®], Genuity[®], RIB Complete and Design[®], RIB Complete[®], Roundup Ready 2 Technology and Design[®], Roundup Ready[®], Roundup[®], SmartStax and Design[®], SmartStax[®], VT Double PRO[®], and VT Triple PRO[®] are trademarks of Monsanto Technology LLC. LibertyLink* and the Water Droplet Design* is a registered trademark of Bayer. HercuTex* is a registered trademark of Dow AgroSciences LLC. All other trademarks are the property of their respective owners.

